Testing Shorter Duration Radiation Therapy Versus the Usual Radiation Therapy in Patients With High Risk Prostate Cancer

Status: RECRUITING

Eligibility Criteria

Age: 18 years and over

This study is NOT accepting healthy

Healthy Volunteers: volunteers

Inclusion Criteria:

* Pathologically (histologically or cytologically) proven diagnosis of adenocarcinoma of prostate cancer * High-risk disease defined as having at least one or more of the following: * cT3a-T3b by digital exam or imaging (American Joint Committee on Cancer \[AJCC\] 8th edition \[Ed.\]) Note: cT4 by imaging or on digital rectal exam is not allowed * The patient's prostate specific antigen (PSA) value \> 20 ng/mL prior to starting androgen deprivation therapy (ADT) Note: Patients taking a 5-alpha reductase inhibitor (ex finasteride or dutasteride) are eligible The baseline PSA value should be doubled for PSAs taken while on 5-alpha reductase inhibitors * Gleason Score of 8-10 * Pelvic node positive by conventional imaging with a short axis of at least 1.0 cm * Prostate gland volume less than 100 cc prior to initiation of ADT as reported at time of biopsy or by separate measure with ultrasound or other imaging modalities including MRI or CT scan * No definitive clinical or radiologic evidence of metastatic disease outside of the pelvic nodes (M1a, M1b or M1c) on conventional imaging (i.e. bone scan, CT scan, MRI); Negative prostate-specific membrane antigen (PSMA) positron emission tomography (PET) is an acceptable substitute * Age \>= 18 * Eastern Cooperative Oncology Group (ECOG) Performance Status of 0-2 * No prior radiotherapy to the region of the study cancer that would result in overlap of radiation therapy fields * No prior radical prostatectomy * Prior pharmacologic androgen ablation for prostate cancer is allowed only if the onset of androgen ablation (both luteinizing hormone releasing hormone \[LHRH\] agonist and oral anti-androgen) is =\< 185 days prior to registration; Please note: PSA prior to the start of any ADT will be used to define disease * Patients enrolled in NRG-GU009 must be enrolled in NRG-GU013 prior to radiation therapy

Conditions & Interventions

Interventions:

PROCEDURE: Computed Tomography, RADIATION: External Beam Radiation Therapy, PROCEDURE: Magnetic Resonance Imaging, OTHER: Quality-of-Life Assessment, OTHER: Questionnaire Administration, RADIATION: Stereotactic Body Radiation Therapy

Conditions:

Prostate Adenocarcinoma, Stage III Prostate Cancer AJCC v8, Stage IVA Prostate Cancer AJCC v8

More Information

Contact(s): ctrrecruit@vcu.edu Principal Investigator: Phase: PHASE3

Number:

System ID: NCT05946213

Thank you for choosing StudyFinder. Please visit http://studyfinder.cctr.vcu.edu to find a Study which is right for you and contact ctrrecruit@vcu.edu if you have questions or need assistance.